















Fenghe Disposable Lighter Catalog (Not Complete)










Serial No.	Item No.	Picture	Size (mm)	Temp. Measuring Standard	Quality Certificate	Package			Cartons/20' Container
						PCS/BOX	Carton Size	PCS/Carton	
Flint Lighters									
1	FH-001		82.1*23.9*12.1	65°C	ISO9994(CR)	50	440*270*270	1000	940
2	FH-003		77.4*23*11.5	55°C	ISO9001	50	420*270*265	1000	1000
3	FH-008		73.3*22.1*11	45°C	ISO9001	50	405*260*270	1000	1050
4	FH-009		68.1*23.7*12.3	65°C	ISO9994(CR)	50	365*260*260	1000	1100
5	FH-011		77.4*23*11.5	65°C	ISO9994(CR)	50	420*270*265	1000	1000
6	FH-201		89.2*24*12	65°C	ISO9994(CR)	50	471*265*270	1000	800
7	FH-203		80.3*21.9*11.1	65°C	ISO9994	50	435*250*265	1000	1000

Serial No.	Item No.	Picture	Size (mm)	Temp. Measuring Standard	Quality Certificate	Package			Cartons/20' Container
						PCS/BOX	Carton Size	PCS/Carton	
8	FH-209		82.3*25*10.6	65°C	ISO9994(CR)	50	447*285*251`	1000	950
9	FH-210		81.6*18*11	65°C	ISO9994	50	580*260*195	1000	1100
10	FH-212		79.2*22.6*9.9	65°C	ISO9994(CR)	50	570*255*185	1000	850
11	FH-218		145.1*38.8*15.7	65°C	ISO9994(CR)	18	410*250*165	144	1500

Above Lighters have three series of colors: solid, transparent and semi-transparent, all is according to customers' request.

Electronic Lighters

1	FH-802		78.7*22.6*9.9	65°C	ISO9994(CR)	50	570*285*185	1000	850
2	FH-805		80.3*23.8*9.4	65°C	ISO9994(CR)	50	435*270*230	1000	850
3	FH-806		80.6*24.7*11.8	65°C	ISO9994(CR)	50	436*278*276	1000	850

Serial No.	Item No.	Picture	Size (mm)	Temp. Measuring Standard	Quality Certificate	Package			Cartons/20' Container
						PCS/BOX	Carton Size	PCS/Carton	
4	FH-808		80.6*24.7*11.8	65°C	ISO9994(CR)	50	439*281*277	1000	850
5	FH-809		75*25*11.1	65°C	ISO9994(CR)	50	410×280×255	1000	900
6	FH-810		81.4*20.8*11.8	65°C	ISO9994(CR)	50	445×245×270	1000	1000
7	FH-816		77.1*22.5*8.9	65°C	ISO9994(CR)	50	415×260×215	1000	1160
8	FH-826		75.7*21.7*16.3	65°C	ISO9994(CR)	25	505×255×335	1000	690
9	FH-846		79.4*21.9*11.1	65°C	ISO9994(CR)	50	435×250×265	1000	900
10	FH-828DJ		145.6*38.8*15.7	65°C	ISO9994(CR)	18	400*243*153	144	1250
11	FH-606		80.2*24.7*11.5	65°C	ISO9994(CR)	50	439*281*277	1000	950
12	FH-608		82.3*20.6*11.9	65°C	ISO9994(CR)	50	450*230*280	1000	1250